

KURE SOLAR VE FOTON ENERJİ SİSTEMLERİ

(Kure Solar, Kure Çelik İnşaat San. Ve Tic.Ltd. Şti Kuruluşudur.)

ÜRÜNLER (*fiyatlar için irtibata geçin)

Hacı Yusuf Mescit Mah. Sonumut Sok. No: 8 Karatay-Konya Tel: 0332 342 26 87 Fax: 0332 342 26 88
irtibat cep: 0542.477 0281 mail: bilgi@kurecelikinsaat.com
mail: qgorm@hotmail.com





TIP	Fotoğraf	Lamba Bilgileri	Fab. Tes. Fiyatı	Ambalaj Bilgileri
SGL-8		Dimension: 50*30*7cm Solar Panel: 12v/15w(high efficiency mono silicon) Sensor: PIR interlligent sensor LED Lamp: 8w high brightness LED Colour Temperature: 6500-7000K Lumen(LM): 800-880 Discharge Time: over 36 hours,considering 3-5 rainy days Working Temperature: -30°C+70°C Certificate: CE Install Height: 3m	*	Net Ağ. 4.8 KĞ Bürüt Ağ. 5.9 KĞ Paket: IPC/CTN CTN: 5*40*14cm
SGL-12		Dimension: 50*30*7cm Solar Panel: 18v/18w(high efficiency mono silicon) LED Lamp: 12w high brightness LED Sensor: PIR interlligent sensor Colour Temperature: 6500-7000K Lumen(LM): 1200-1320 Discharge Time: over 36 hours,considering 3-5 rainy days Working Temperature: -20°C+60°C Certificate: CE Install Height: 3-4m	*	NW: 4.5KGS GW: 6.0KGS Pack: 1PC/CTN CTN: 55*40*14cm 20' GP: 900 sets 40' HQ: 2200 sets
SGL-15		Dimension: 63*35*7cm Solar Panel: 18v/25w(high efficiency mono silicon) LED Lamp: 15w high brightness LED(from Taiwan) Sensor: PIR interlligent sensor Colour Temperature: 6500-7000K Lumen(LM): 1500-1650 Discharge Time: over 36 hours,considering 3-5 rainy days Working Temperature: -20°C+60°C Certificate: CE Install Height: 4-5m	*	NW: 6.5KGS GW: 8.0KGS Pack: 1PC/CTN CTN: 70*45*14cm 20' GP: 630 sets 40' HQ: 1500 sets
SGL-18		Dimension: 97*33*14cm Solar Panel: 18v/40w(high efficiency mono silicon) LED Lamp: 18w high brightness LED(from Taiwan) Battery Type: special Lithium battery for solar light Sensor: PIR interlligent sensor Colour Temperature: 6500-7000K Lumen(LM): 1800-2000 Discharge Time: over 36 hours,considering 3-5 rainy days Working Temperature: -20°C+60°C Certificate: CE Install Height: 5-6m	*	NW: 10KGS GW: 12KGS Pack: 1PC/CTN CTN: 102*43*20cm 20' GP: 320 sets 40' HQ: 770 sets
SGL-20		Dimension: 118*33*14mm Solar Panel: 18v/45w(monokristal) LED Lamp: 20w high brightness LED(from USA) Sensor: PIR interlligent sensor Colour Temperature: 6500-7000K Lumen(LM): 2400-2600 Discharge Time: over 36 hours,considering 3-5 rainy days Working Temperature: -20°C+60°C Certificate: CE Install Height: 5-6m	*	NW: 14.5KGS GW: 16.5KGS Pack: 1PC/CTN CTN: 124*43*20cm 20' GP: 260 sets 40' HQ: 620 sets

KURE SOLAR VE FOTON ENERJİ SİSTEMLERİ

(Kure Solar, Kure Çelik İnşaat San. Ve Tic.Ltd. Şti Kuruluşudur.)

ÜRÜNLER (*fiyatlar için irtibata geçin)

Hacı Yusuf Mescit Mah. Sonumut Sok. No: 8 Karatay-Konya Tel: 0332 342 26 87 Fax: 0332 342 26 88
irtibat cep: 0542.477 0281 mail: bilgi@kurecelikinsaat.com
mail: grom@hotmail.com

SGL-25		Dimension: 118*33*14cm Solar Panel: 18v/50w(high efficiency mono silicon) LED Lamp: 25w high brightness LED(from USA) Sensor: PIR interlligent sensor Colour Temperature: 6500-7000K Lumen(LM): 3000-3250 Discharge Time: over 36 hours,considering 3-5 rainy days Working Temperature: -20°C+60°C Certificate: CE Install Height: 5-6m	*	NW: 15.5KGS GW: 17.5KGS Pack: 1PC/CTN CTN: 124*43*20cm 20' GP: 260 sets 40' HQ: 620 sets
SGL-30		Dimension: 118*33*14cm Solar Panel: 18v/60w(high efficiency mono silicon) LED Lamp: 30w high brightness LED(from USA) Sensor: PIR interlligent sensor Colour Temperature: 6500-7000K Lumen(LM): 3600-3900 Discharge Time: over 36 hours,considering 3-5 rainy days Working Temperature: -20°C+60°C Certificate: CE Install Height: 6-7m	*	NW: 15.5KGS GW: 17.5KGS Pack: 1PC/CTN CTN: 124*43*20cm 20' GP: 260 sets 40' HQ: 620 sets
SGL-40		Dimension: 118*33*14cm Solar Panel: 18v/60w(high efficiency mono silicon) LED Lamp: 40w high brightness LED(from USA) Sensor: PIR interlligent sensor Colour Temperature: 6500-7000K Lumen(LM): 4800-5200 Discharge Time: over 36 hours,considering 3-5 rainy days Working Temperature: -20°C+60°C Certificate: CE Install Height: 8-9m	*	NW: 16.0Kğ GW: 18.0Kğ Pack: 1PC/CTN CTN: 124*43*20cm 20' GP: 260 sets 40' HQ: 620 sets
SGL-60		Dimension: 1080*450*153mm /1180*510*200mm Solar panel: 18v 90w(high efficiency monocrystalline) LED Lamp: (without sensor) 60w high brightness LED(from USA) Lumen(LM): 7800-9000lm Charge time: 6 hours(by sun) Discharge time: more than 10 hours(full power) - more than 24 hours (half power)	*	NW: 22.5 -25 Kğ GW:27 Kğ Pack: 1PC/CTN CTN: 1190*520*220mm 20' GP 230 pcs 40' GP 450 pcs

Elektroliz Galvanizli direk 3 Metre Çap 60 mm Kalınlık 2 mm

Elektroliz Galvanizli direk 6 Metre Çap 90 mm Kalınlık 3 mm

*fiyatlar için irtibata geçin

KURE SOLAR VE FOTON ENERJİ SİSTEMLERİ

(Kure Solar, Kure Çelik İnşaat San. Ve Tic.Ltd. Şti Kuruluşudur.)

ÜRÜNLER (*fiyatlar için irtibata geçin)

Hacı Yusuf Mescit Mah. Sonumut Sok. No: 8 Karatay-Konya Tel: 0332 342 26 87 Fax: 0332 342 26 88

irtibat cep: 0542.477 0281 mail: bilgi@kurecelikinsaat.com

mail: gorm@hotmail.com

KURE SOLAR MONOKRİSTAL GÜNEŞ PANELLERİ					
RESİM	MARKA	KOD NO	MODEL	KOLİ AD.	FİYAT/AD.
	KURE SOLAR	SG C72	300 Wp MonoKristal 1960x960x50 mm	22	*
	KURE SOLAR	SG C60	250 Wp MonoKristal 165x992x50 mm	22	*
	KURE SOLAR	SG 140	140 Wp Monokristal 1480x680x35 mm	22	*
	KURE SOLAR	SG 100	100 Wp Monokristal 1210x540x35 mm	22	*
	KURE SOLAR	SG 90	90 Wp Monokristal 1210x540x35 mm	22	*
	KURE SOLAR	SG 60	60 Wp Monokristal	22	*
	KURE SOLAR	SG 40	40 Wp Monokristal 645x545x23	22	*
	KURE SOLAR	SG 20	20 Wp Monokristal 639x294x23 mm	22	*
	KURE SOLAR	SG 10	10 Wp Monokristal 396x294x23 mm	22	*

KURE SOLAR VE FOTON ENERJİ SİSTEMLERİ


(Kure Solar, Kure Çelik İnşaat San. Ve Tic.Ltd. Şti Kuruluşudur.)

ÜRÜNLER (*fiyatlar için irtibata geçin)

Hacı Yusuf Mescit Mah. Sonumut Sok. No: 8 Karatay-Konya Tel: 0332 342 26 87 Fax: 0332 342 26 88

irtibat cep: 0542.477 0281 mail: bilgi@kurecelikinsaat.com

mail: grom@hotmail.com

KURE SOLAR AYDINLATMA SİSTEMLERİ	
	<p>SG 20-2 8 W 2 LEDLI SOLAR SET 2 SG 10-3 10W 3 LEDLI SOLAR SET 2 SG 15-3 15W 3 LEDLI SOLAR SET 2 SG 30-3 30W 3 LEDLI SOLAR SET 2 SG 20-6 20W 6 LEDLI SOLAR SET 2</p> <p>N710 SOLAR PANELLİ LED FENER 10</p> <p>N360 ASKILI SOLAR LED LAMBA 10 \$10,00</p>

KURE SOLAR DC SU POMPA SETLERİ								
MODEL	SU DER.	M3/SAAT	POMPA GÜCÜ	VOLTAJ	PANEL Wp	PANEL AD.	BAĞLANTI ŞEKLİ	FİYATI \$
STSC2.2-12-24/120	12	2,2	120W	24 V	90Wp	2	Seri Bağlantı	*
Stsc1,9-23-36/210	23	1,9	210W	36v	90Wp	3	Seri Bağlantı	*
4TSC5,5-40-48/500	40	5,5	500W	48V	90Wp	8	4 SERİ, İKİ SERİ ARASI PARALEL	*
4TSC15-48-150/1500	49	15	1500W	150V	300Wp	8	4 SERİ, İKİ SERİ ARASI PARALEL	*
4TSC3,1-66-48/500	66	3,1	500W	48	90Wp	8	4 SERİ, İKİ SERİ ARASI PARALEL	*
4TSS2,5-70-48/500	70	2,5	500W	48	90Wp	8	4 SERİ, İKİ SERİ ARASI PARALEL	*
4TSC13-75-150/1500	75	13	1500W	150	300Wp	8	4 SERİ, İKİ SERİ ARASI PARALEL	*
4TSC14-83-220/2200	83	14	2200W	220	300Wp	12	6 LI SERİ, İKİ GURUP ARASI PARALEL	*
4TSC4,0-96-110/1000	96	4	1000W	110	90WP	16	8 LI SERİ, İKİ SERİ GURUP ARASI PARALEL	*
4TSC12-108-220/2200	108	12	2200W	220	300Wp	12	6 LI SERİ, İKİ GURUP ARASI PARALEL	*
4TSS2,5-140-110/1000	140	2,5	1000W	110V	90Wp	16	8 LI SERİ İKİ GURUP ARASI PARALEL	*
4TSS2-145-110/1000	110	2	1000W	110V	90Wp	16	8 LI SERİ İKİ GURUP ARASI PARALEL	*
4TSSC7-220-300/3000	220	7	3000W	500V	255WP	18	9 LU SERİ İKİ GURUP ARASI PARALEL	*
4TSSC4-300-300/	300	4	3000W	500V	255Wp	18	9 LU SERİ İKİ GURUP ARASI PARALEL	*

Solar Pompa Paket İçinde: 1 Ad. Pompa, 1 Ad. Kontrol cihazı Kablo, 2 Ad. Seviye kontrol cihazı, 1 Ad. Ekstra filitre dahildir. Güneş enejı panelleri dahil değildir.

KURE SOLAR VE FOTON ENERJİ SİSTEMLERİ

(Kure Solar, Kure Çelik İnşaat San. Ve Tic.Ltd. Şti Kuruluşudur.)

ÜRÜNLER (*fiyatlar için irtibata geçin)

Hacı Yusuf Mescit Mah. Sonumut Sok. No: 8 Karatay-Konya Tel: 0332 342 26 87 Fax: 0332 342 26 88

irtibat cep: 0542.477 0281 mail: bilgi@kurecelikinsaat.com

mail: grorm@hotmail.com

KURE SOLAR SULAMA SİSTEM FİYATLARI								
No	Motor Gücü	PV Giriş Voltajı	GÜCÜ	AD.	SOLAR PANEL T. GÜCÜ	AC MOTOR VOLTAJI	FAZI	FİYAT (Panel ve Motor Hariç)
1	0,75 KW	350	300 W	3	1000 W	230	1	*
2	1,5 KW	550	300W	7	2100W	380	3	*
3	2,2 KW	550	300W	10	3000 W	380	3	*
4	4 KW	550	300W	17	5100 W	380	3	*
5	5,5 KW	550	300W	25	7650W	380	3	*
6	7,5 KW	550	300W	34	10200W	380	3	*
7	11 KW	550	300W	40	15200W	380	3	*
8	15 KW	720	300W	69	20700W	380	3	*
9	22 KW	720	300W	101	30300W	380	3	*
10	30 KW	720	300W	138	41400W	380	3	*
11	37 KW	720	300W	170	51000W	380	3	*
12	45 KW	720	300W	207	62100W	380	3	*

AKÜ ŞARJ CİHAZLARI			
Modeli	Bilgileri	Koli Ad.	Fiyatı
ORA 12-9	12 V 9 AH OTOMATİK ŞARJ CİHAZI	16	*
ORA 12-20	12 V 20 AH OTOMATİK ŞARJ CİHAZI	16	*
AKÜLER VRLA (UZUN ÖMÜRLÜ DERİN DEŞARJLI AKÜLER)			
Modeli	Bilgileri	Koli Ad.	Fiyatı
WT 12-14	12 V 38 AH ÖLÇÜ: 150X97X96 mm. 4,4 KG	4	*
WT 12-20	12 V 65 AH ÖLÇÜ: 180X76X167 – 6,9 KG	4	*
OBL 12-24	12 V 24 AH ÖLÇÜ: 485X170X240 – 48,2 KG	1	*
JEL AKÜ (UZUN ÖMÜRLÜ DERİN DEŞARJLI AKÜLER)			
OBG 12-38	12 V 38 AH ÖLÇÜ: 197X165X170 – 13,5 KG	1	*
OBG 12-65	12 V 65 AH ÖLÇÜ: 325X167X174 – 24 KG.	1	*
OBG 12-100	12 V 100 AH ÖLÇÜ: 330X173X212 – 31 KG	1	*
OBG 12-150	12 V 150 AH ÖLÇÜ: 485X170X240 – 44,2 KG	1	*
OBG 12-200	12 V 200 AH ÖLÇÜ: 522X240X218 – 62,5 KG	1	*
ORG2-300	2 V 300 AH – ÖLÇÜ: 170X150X328 – 19 KG	1	*
ORG2-600	2V 600 AH – ÖLÇÜ: 300X175X330 – 36,5 KG	1	*
ORG2-1000	2 V 1000 AH – ÖLÇÜ: 475X175X328 – 61,3 KG	1	*

KURE SOLAR VE FOTON ENERJİ SİSTEMLERİ

(Kure Solar, Kure Çelik İnşaat San. Ve Tic.Ltd. Şti Kuruluşudur.)

ÜRÜNLER (*fiyatlar için irtibata geçin)

Hacı Yusuf Mescit Mah. Sonumut Sok. No: 8 Karatay-Konya Tel: 0332 342 26 87 Fax: 0332 342 26 88

irtibat cep: 0542.477 0281 mail: bilgi@kurecelikinsaat.com

mail: grom@hotmail.com

Tam Sinüs İnverter				
	KOD	MODEL	KOLİ	FİYAT / ADET *
	SK 700-212	12 V 700 W TAM SİNÜS İNVERTER	6	*
	SK 1000-212	12 V 1000 W TAM SİNÜS İNVERTER	4	*
	SK 1000-212	12 V 1000 W TAM SİNÜS İNVERTER	4	*
	SK 2000-212	12 V 2000 W TAM SİNÜS İNVERTER	2	*
	SK 2000-224	24 V 2000 W TAM SİNÜS İNVERTER	2	*
	SK 3000-212	12 V 3000 W TAM SİNÜS İNVERTER	2	*
	SK 3000-224	24 V 3000 W TAM SİNÜS İNVERTER	2	*
	SK 3000-248	48 V 3000 W TAM SİNÜS İNVERTER	2	*
	ORT12-600	12 V 600 W TAM SİNÜS İNVERTÖR	16	*
	ORT12-1000	12 V 1000 W TAM SİNÜS İNVERTÖR	6	*
	ORT12-2000	12 V 2000 W TAM SİNÜS İNVERTÖR	6	*
	ORT12-2000	12 V 2000 W TAM SİNÜS İNVERTÖR	6	*
	ORT24-2000	24 V 2000 W TAM SİNÜS İNVERTÖR	6	*
	ORT12-3000	12 V 3000 W TAM SİNÜS İNVERTÖR	6	*
	ORT24-3000	24 V 3000 W TAM SİNÜS İNVERTÖR	6	*
Modifiye Sinüs İnverter				
	ORM12-150	12 V 150 W	50	*
	ORM24-150	24 V 150 W	50	*
	ORM12-300	12 V 300 W	30	*
	ORM24-300	24 V 300 W	30	*
	ORM12-600	12 V 600 W	16	*
	ORM24-600	24 V 600 W	16	*
	ORM12-1000	12 V 1000 W	6	*
	ORM24-1000	24 V 1000 W	6	*
	ORM12-1800	12 V 1800 W	6	*
	ORM24-1800	24 V 1800 W	6	*
	ORM12-2500	12 V 2500 W	6	*
	ORM24-2500	24 V 2500 W	6	*
	ORM12-4000	12 V 4000 W	2	*
	ORM24-4000	24 V 4000 W	2	*
	ORM12-5000	12 V 5000 W	2	*
	ORM24-5000	24 V 5000 W	2	*

KURE SOLAR VE FOTON ENERJİ SİSTEMLERİ



(Kure Solar, Kure Çelik İnşaat San. Ve Tic.Ltd. Şti Kuruluşudur.)

ÜRÜNLER (*fiyatlar için irtibata geçin)

Hacı Yusuf Mescit Mah. Sonumut Sok. No: 8 Karatay-Konya Tel: 0332 342 26 87 Fax: 0332 342 26 88

irtibat cep: 0542.477 0281 mail: bilgi@kurecelikinsaat.com

mail: qorm@hotmail.com

	SMART LCD EKRANLI MODIFIYE SINUS INVERTÖRLER ŞARJLI			
	ORBUS SD120W 12 V 120 W SMART DIJITAL MODIFIYE SIN. INVERTÖR			*
	ORBUS SD400W 12 V 400 W SMART DIJITAL MODIFIYE SIN. INVERTÖR			
	ORBUS SD600W 12 V 600 W SMART DIJITAL MODIFIYE SIN. INVERTÖR			
	SARJLI TAM SINUS INVERTÖRLER			
	ORBUS TSI1000-12 12V 1000W SARJLI TAM SINUS INVERTÖR		2	
	ORBUS TSI1000-24 24V 1000W SARJLI TAM SINUS INVERTÖR		2	*
	ORBUS TSI2000-12 12V 2000W SARJLI TAM SINUS INVERTÖR		2	
	ORBUS TSI2000-24 24V 2000W SARJLI TAM SINUS INVERTÖR		2	
	SARJLI MODIFIYE SINUS INVERTÖRLER			
	ORBUS ORS12-600 12 V 600 W		16	
	ORBUS ORS12-1000 12 V 1000 W		6	*
	ORBUS ORS12-2000 12 V 2000 W		6	
	ON-GRID INVERTÖR'LER			
	GW1500-SS 1500W(AC) 1, 25V~450V Transformerless		1800W	*
	GW2000-SS 2000W(AC) 1, 25V~450V Transformerless		2300W	
	SARJLI MODIFIYE SINUS INVERTÖRLER			
	GW3000-SS 3000W(AC) 1,25V~450V Transformerless		3200W	
	GW4000-SS 4000W(AC) 1, 25V~550V Transformerless		4600W	*
	GW4600-SS 4600W(AC) 1, 25V~550V Transformerless		5400W	
220 V MPPT'LI	GOODWE GW3600-DS 3600W(AC) 1,25V~550V Transformerless		3800W	
	GOODWE GW4200-DS 4200W(AC) 1,25V~550V Transformerless		4600W	*
	GOODWE GW4600-DS 4600W(AC) 1, 25V~550V Transformerless		5400W	
380 V 3 FAZLI VE MPPT'LI	GOODWE GW4000-DT 4,000W(AC)2, 00V~800V Transformerless		4200W	*
	GOODWE GW5000-DT 5,000W(AC)2, 00V~800V Transformerless		5200W	
	GOODWE GW6000-DT 6,000W(AC)2, 00V~800V Transformerless		6200W	
	GOODWE GW10K-DT 10,000W(AC),260V~850V Transformerless		10200W	
	GOODWE GW12K-DT 12,000W(AC),260V~850V Transformerless		12300W	
	GOODWE GW15K-DT 15,000W(AC),260V~850V Transformerless		15400W	
	GOODWE 17,000W(AC),260V~850V Transformerless		17500W	
	GOODWE GW20K-DT 20,000W(AC),260V~850V Transformerless		20500W	
EZ LOGGER	DC Switch			SS 45 *
	WIFI Monitoring			DS 45
	EzLogger			DT 79